CORNERSTONE
EVOLUTION

ERGON

CORNERSTONE
EVOLUTION

Cornerstone amplia la sua gamma di pietre dal mondo introducendo tre nuove Slate dai colori chiari e luminosi, Light Grey, Superwhite e Sand, in linea con le tendenze del design contemporaneo. Da sempre apprezzata per la sua proposta autentica, Cornerstone completa la sua offerta di soluzioni progettuali per rispondere alle necessità tecniche ed estetiche dell'architettura moderna. Le tre nuance introdotte si sviluppano dai piccoli formati fino alle grandi lastre e forniscono ai designer la possibilità di combinare in piena libertà forme e colori e dare vita ad ambienti dal forte carattere.

Cornerstone extends its range of stones from around the world to include three new Slates in pale, luminous colours, Light Grey, Superwhite and Sand, attuned to the very latest contemporary design trends. A long-standing favourite for its authenticity, Cornerstone completes its offering of design solutions to meet modern architecture's technical and stylistic needs. The three new shades are available for small sizes up to large slabs and give designers complete freedom to combine shapes and colours to create interiors with a strong personality.

ERGON

CORNERSTONE EVOLUTION

ERGON

CORNERSTONE EVOLUTION

Slate Light Grey Naturale R10 Rett. 120x278 - 47$^{1/4}$"x109$^{7/16}$"

CORNERSTONE EVOLUTION

Slate Sand Naturale R10 Rett. 120x278 - 47 1/4"x109 7/16"
Slate Superwhite Naturale R10 Rett. 120x278 - 47 1/4"x109 7/16"

CORNERSTONE EVOLUTION

Slate White Naturale R10 Rett. 120x120 - 47 1/4"x47 1/4"
Slate Black Naturale R10 Rett. 60x120 - 23 5/8"x47 1/4"
Listelli Sfalsati Slate White Naturale R10 Rett. 30x60 - 11 13/16"x23 5/8"

CORNERSTONE EVOLUTION

COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

Slate Light Grey

Slate Superwhite

Slate Sand

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.
Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется уклакда с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.
Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.
Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

6,5 mm.

Naturale R10 Rett.
120x278 - 47 1/4"x109 7/16"
EN8R Slate Light Grey ● **T99**
EN8T Slate Superwhite ● **T99**
EN8S Slate Sand ● **T99**

9,5 mm.

Naturale R10 Rett.
120x120 - 47 1/4"x47 1/4"
EN8W Slate Light Grey ● **T59**
EN8V Slate Superwhite ● **T59**
EN8U Slate Sand ● **T59**

Naturale R10 Rett.
60x120 - 23 5/8"x47 1/4"
EN95 Slate Light Grey ● **T31**
EN96 Slate Superwhite ● **T31**
EN97 Slate Sand ● **T31**

Tecnica R11 Rett.
60x120 - 23 5/8"x47 1/4"
ENG8 Slate Light Grey ● **T31**
ENG6 Slate Sand ● **T31**

Naturale R10 Rett.
60x60 - 23 5/8"x23 5/8"
ENG2 Slate Light Grey ● **T17**
ENG1 Slate Superwhite ● **T17**
ENG0 Slate Sand ● **T17**

Naturale R10 Rett.
30x60 - 11 13/16"x23 5/8"
ENG4 Slate Light Grey ● **T14**
ENG3 Slate Superwhite ● **T14**
ENG5 Slate Sand ● **T14**

9 mm.

Naturale R10 Rett.
100x100 - 39 3/8"x39 3/8"
ENGC Slate Superwhite ● **T25**
ENGD Slate Sand ● **T25**

20MM

Naturale R11 Rett.
60x120 - 23 5/8"x47 1/4"
EN8X Slate Light Grey ● **T80**
EN8Y Slate Sand ● **T80**

Naturale R11 Rett.
60x60 - 23 5/8"x23 5/8"
ENGA Slate Light Grey ● **T39**
ENG9 Slate Sand ● **T39**

CORNERSTONE EVOLUTION

COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

Slate White

Slate Grey

Slate Black

Si consiglia la posa con fuga 2 mm. - Laying with a 2 mm-joint is recommended. - Pose recommandée avec joints de 2 mm.
Es wird eine Fugenbreite von 2 mm empfohlen. - Se recomienda la colocación con juntas de 2 mm. - Рекомендуется укладка с швом 2 мм.

Verificare l'abbinamento dei toni tra i formati differenti. - Check the colour matching between different sizes.
Vérifier l'assortiment des tonalités entre les différents formats. - Die Kombination der Farbtöne unter den verschiedenen Formaten prüfen.
Comprobar la combinación de los tonos entre los distintos formatos. - Проверьте сочетание тонов у разных форматов.

COLORI E FORMATI

Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы

6,5 mm.

Naturale R10 Rett.
120x278 - 47 1/4"x109 7/16"
EJ20 Slate White ● **T99**
EJ21 Slate Grey ● **T99**
EJ22 Slate Black ● **T99**

Naturale R10 Rett.
120x120 - 47 1/4"x47 1/4"
EKD7 Slate White ● **T63**
EKD8 Slate Grey ● **T63**
EKD9 Slate Black ● **T63**

Naturale R10 Rett.
60x120 - 23 5/8"x47 1/4"
EKDC Slate White ● **T48**
EKDD Slate Grey ● **T48**
EKDE Slate Black ● **T48**

9,5 mm.

Naturale R10 Rett.
120x120 - 47 1/4"x47 1/4"
ENGG Slate White ● **T59**
ENGF Slate Grey ● **T59**
ENGE Slate Black ● **T59**

Naturale R10 Rett.
90x90 - 35 7/16"x35 7/16"
EJ5J Slate White ● **T31**
E44C Slate Grey ● **T31**
E44D Slate Black ● **T31**

Naturale R10 Rett.
60x120 - 23 5/8"x47 1/4"
EJ5A Slate White ● **T31**
E7KX Slate Grey ● **T31**
E7KY Slate Black ● **T31**

Tecnica R11 Rett.
60x120 - 23 5/8"x47 1/4"
ENG7 Slate White ● **T31**

Naturale R10 Rett.
45x90 - 17 11/16"x35 7/16"
EJ5M Slate White ● **T23**
E2QG Slate Grey ● **T23**
E2QH Slate Black ● **T23**

Naturale R10 Rett.
30x120 - 11 13/16"x47 1/4"
EJ5D Slate White ● **T63**
E2PS Slate Grey ● **T63**
E2PT Slate Black ● **T63**

Naturale R10 Rett.
30x60 - 11 13/16"x23 5/8"
EJ5R Slate White ● **T14**
E2Q5 Slate Grey ● **T14**
E2Q6 Slate Black ● **T14**

Naturale R10 Rett.
60x60 - 23 5/8"x23 5/8"
EJ5P Slate White ● **T17**
E2PY Slate Grey ● **T17**
E2PZ Slate Black ● **T17**

Naturale R10 Rett.
10x30 - 3 15/16"x11 13/16"
EJLH Slate White ● **T49**
ECXY Slate Grey ● **T49**
ECXZ Slate Black ● **T49**

20MM

Naturale R11 Rett.
60x60 - 23 5/8"x23 5/8"
E2PK Slate Grey ● **T39**
E2T4 Slate Black ● **T39**

Naturale R11 Rett.
45x90 - 17 11/16"x35 7/16"
E3PN Slate Grey ● **T50**
E7U0 Slate Black ● **T50**

CORNERSTONE EVOLUTION

6,5 mm.

DECORI

Decors I Decors I Dekore I Decorados I Декоры

LISTELLI SFALSATI* Naturale R10

30x60 - 11 13/16"x23 5/8"
EKKL Slate White ● **A87**

30x60 - 11 13/16"x23 5/8"
EKKM Slate Grey ● **A87**

30x60 - 11 13/16"x23 5/8"
EKKN Slate Black ● **A87**

* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

9,5 mm.

DECORI

Decors I Decors I Dekore I Decorados I Декоры

MOSAICO* Naturale R10

Tessera - Chip 2,8x2,8 - 1 1/8"x1 1/8"

30x30 - 11 13/16"x11 13/16"
ENGN Slate Light Grey ● **A96**

30x30 - 11 13/16"x11 13/16"
ENGQ Slate Superwhite ● **A96**

30x30 - 11 13/16"x11 13/16"
ENGP Slate Sand ● **A96**

30x30 - 11 13/16"x11 13/16"
EJ5V Slate White ● **A96**

30x30 - 11 13/16"x11 13/16"
E2SS Slate Grey ● **A96**



30x30 - 11 13/16"x11 13/16"
E2ST Slate Black ● **A96**

LISTELLI SFALSATI* Naturale R10

30x60 - 11 13/16"x23 5/8"
ENGL Slate Light Grey ● **A80**

30x60 - 11 13/16"x23 5/8"
EJ5X Slate White ● **A80**

30x60 - 11 13/16"x23 5/8"
ENGM Slate Superwhite ● **A80**

30x60 - 11 13/16"x23 5/8"
E2SM Slate Grey ● **A80**

30x60 - 11 13/16"x23 5/8"
ENGK Slate Sand ● **A80**

30x60 - 11 13/16"x23 5/8"
E2SN Slate Black ● **A80**

* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

CORNERSTONE EVOLUTION

PEZZI SPECIALI

Trims | Pieces Speciales | Formteile | Piezas Especiales | Специальные Изделия

	Dimensione Size	Slate Light Grey	Slate Superwhite	Slate Sand	Fascia di prezzo Price band
Battiscopa - Skirting	**Naturale R10 Rett.** 7x60 - $2^{3/4"}$x$23^{5/8"}$ Pcs. Box 15 - LM x Box 9,00	**ENH6**	**ENH5**	**ENH4**	● **A11**
Gradino - Stair Tread	**Naturale R10 Rett.** 33x120 - $12^{15/16"}$x$47^{1/4"}$ Pcs. Box 2 - LM x Box 2,40	**ENGR**	**ENGS**	**ENGT**	● **A82**
Gradone - Step	**Naturale R10 Rett.** 33x120x3,2x3,2 $12^{15/16"}$x$47^{1/4"}$x$1^{1/4"}$x$1^{1/4"}$ Pcs. Box 2 - LM x Box 2,40	**ENGW**	**ENGV**	**ENGU**	● **A98**
Angolare Dx | Sx Corner Tile Right | Left	**Naturale R10 Rett.** 33x120x3,2x3,2 $12^{15/16"}$x$47^{1/4"}$x$1^{1/4"}$x$1^{1/4"}$ Pcs. Box 1 - LM x Box 1,20	Dx - Right **ENH3** Sx - Left **ENH1**	Dx - Right **ENGY** Sx - Left **ENH2**	Dx - Right **ENH0** Sx - Left **ENGZ**	● **A104**

	Dimensione Size	Slate White	Slate Grey	Slate Black	Fascia di prezzo Price band
Battiscopa - Skirting	**Naturale R10 Rett.** 7x60 - $2^{3/4"}$x$23^{5/8"}$ Pcs. Box 15 - LM x Box 9,00	**EJ5Z**	**E2TL**	**E2TM**	● **A11**
	Naturale R10 Rett. 7x90 - $2^{3/4"}$x$35^{7/16"}$ Pcs. Box 8 - LM x Box 7,20	**EJ61**	**E2TE**	**E2TF**	● **A18**
Gradino - Stair Tread	**Naturale R10 Rett.** 33x120 - $12^{15/16"}$x$47^{1/4"}$ Pcs. Box 2 - LM x Box 2,40	**EJ6E**	**E2TG**	**E909**	● **A82**
Gradone - Step	**Naturale R10 Rett.** 33x120x3,2x3,2 $12^{15/16"}$x$47^{1/4"}$x$1^{1/4"}$x$1^{1/4"}$ Pcs. Box 2 - LM x Box 2,40	**EJ6G**	**E8Z9**	**E8ZA**	● **A98**
Angolare Dx | Sx Corner Tile Right | Left	**Naturale R10 Rett.** 33x120x3,2x3,2 $12^{15/16"}$x$47^{1/4"}$x$1^{1/4"}$x$1^{1/4"}$ Pcs. Box 1 - LM x Box 1,20	Dx - Right **EJ6J** Sx - Left **EJ6K**	Dx - Right **E8Y8** Sx - Left **E8Y9**	Dx - Right **E8YA** Sx - Left **E8YC**	● **A104**
Battiscopa Scala Dx | Sx ° Tread Skirting Right | Left	**Naturale R10 Rett.** 7x60x60 $2^{3/4"}$x$23^{5/8"}$x$23^{5/8"}$ Pcs. Box 2 - LM x Box 1,20	Dx - Right **EJ63** Sx - Left **EJ69**	Dx - Right **E8YT** Sx - Left **E8YU**	Dx - Right **E2SG** Sx - Left **E2SH**	● **A33**
Battiscopa Scala Dx | Sx ° Tread Skirting Right | Left	**Naturale R10 Rett.** 7x60x60 $2^{3/4"}$x$23^{5/8"}$x$23^{5/8"}$ Pcs. Box 2 - LM x Box 1,20	Dx - Right **EJ6A** Sx - Left **EJ6C**	Dx - Right **E8YZ** Sx - Left **E8Z0**	Dx - Right **E8Z1** Sx - Left **E8Z2**	● **A33**
Cove Base * °	**Naturale R10** 16x30 - $6^{5/16"}$x$11^{13/16"}$ Pcs. Box 30	**EJ6M**	**E2TN**	**E90F**	● **A22**
Cove Base Ang. Int.* ° Cove Base In Corner	**Naturale R10** 2,5x16 - $^{15/16"}$x$6^{5/16"}$ Pcs. Box 10	**EJ6P**	**E2SF**	**E8YN**	● **A16**
Cove Base Ang. Est.* ° Cove Base Out Corner	**Naturale R10** 2,5x16 - $^{15/16"}$x$6^{5/16"}$ Pcs. Box 10	**EJ6Q**	**E2SE**	**E8YH**	● **A16**

* Ordine minimo 500 pezzi/colore. - Minimum order: 500 pieces/color. - Commande minimale 500 pièces/couleur. - Mindestbestellmenge 500 Stücke/Farbe. Pedido mínimo 500 piezas/color. - Минимальный заказ 500 штук/цвета.

° Disponibile a richiesta anche nei colori **Slate Light Grey**, **Slate Superwhite**, **Slate Sand**. - **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** colors available on request. - Couleurs **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** (sur demande). - **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** Farben auf Anfrage erhältlich. Colores **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** disponibles bajo pedido. - Цвета **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** по запросу.

20MM

PEZZI SPECIALI

Trims | Pieces Speciales | Formteile | Piezas Especiales | Специальные Изделия

	Dimensione Size	Slate Grey		Slate Black		Fascia di prezzo Price band
Gradone - Step	**Naturale R11 Rett.** 33x60x5 $12^{15/16"}$x$23^{5/8"}$x$1^{15/16"}$ Pcs. Box 2 - LM x Box 1,20	**E8ZJ**		**E8ZM**		● **A68**
	Naturale R11 Rett. 33x90x5 $12^{15/16"}$x$35^{7/16"}$x$1^{15/16"}$ Pcs. Box 2 - LM x Box 1,80	**E9UL**		**E9UP**		● **A80**
Angolare Dx | Sx Corner Tile Right | Left	**Naturale R11 Rett.** 33x60x5 $12^{15/16"}$x$23^{5/8"}$x$1^{15/16"}$ Pcs. Box 2 - LM x Box 1,20	Dx - Right **E8ZK**	Sx - Left **E8ZL**	Dx - Right **E8ZN**	Sx - Left **E8ZP**	● **A90**
	Naturale R11 Rett. 33x90x5 $12^{15/16"}$x$35^{7/16"}$x$1^{15/16"}$ Pcs. Box 2 - LM x Box 1,80	Dx - Right **E9UM**	Sx - Left **E9UN**	Dx - Right **E9UQ**	Sx - Left **E9UR**	● **A96**
Terminale - Endingpiece	**Naturale R11 Rett.** 33x60x2,5 $12^{15/16"}$x$23^{5/8"}$x$^{15/16"}$ Pcs. Box 2 - LM x Box 1,20	**E2T9**		**E8ZY**		● **A72**
	Naturale R11 Rett. 33x90x2,5 $12^{15/16"}$x$35^{7/16"}$x$^{15/16"}$ Pcs. Box 2 - LM x Box 1,80	**E9VA**		**E9VE**		● **A84**
Ang. Terminale Dx | Sx Endingpiece Corner Right | Left	**Naturale R11 Rett.** 33x60x2,5 $12^{15/16"}$x$23^{5/8"}$x$^{15/16"}$ Pcs. Box 2 - LM x Box 1,20	Dx - Right **E8ZW**	Sx - Left **E8ZX**	Dx - Right **E8ZZ**	Sx - Left **E900**	● **A90**
	Naturale R11 Rett. 33x90x2,5 $12^{15/16"}$x$35^{7/16"}$x$^{15/16"}$ Pcs. Box 2 - LM x Box 1,80	Dx - Right **E9VC**	Sx - Left **E9VD**	Dx - Right **E9VF**	Sx - Left **E9VG**	● **A96**
Gradino - Stair Tread	**Naturale R11 Rett.** 33x60 - $12^{15/16"}$x$23^{5/8"}$ Pcs. Box 2 - LM x Box 1,20	**E903**		**E904**		● **A66**
	Naturale R11 Rett. 33x90 - $12^{15/16"}$x$35^{7/16"}$ Pcs. Box 2 - LM x Box 1,80	**E9VP**		**E9VQ**		● **A80**
Alzata - Riser	**Naturale R11 Rett.** 16,5x60 - $6^{1/2"}$x$23^{5/8"}$ Pcs. Box 2 - LM x Box 1,20	**E2T6**		**E2T7**		● **A29**
	Naturale R11 Rett. 16,5x90 - $6^{1/2"}$x$35^{7/16"}$ Pcs. Box 4 - LM x Box 3,60	**E9TZ**		**E9U0**		● **A49**

Pezzi speciali 20 mm **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** disponibili su richiesta.
Slate Light Grey, **Slate Superwhite**, **Slate Sand** 20mm trims available on request.
pièces spéciales 20mm **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** (sur demande).
Slate Light Grey, **Slate Superwhite**, **Slate Sand** Formteile 20mm auf anfrage erhältlich.
piezas especiales 20mm **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** disponibles bajo pedido.
специальные изделия 20мм **Slate Light Grey**, **Slate Superwhite**, **Slate Sand** по запросу.

CORNERSTONE EVOLUTION

IMBALLI E PESI

Packing and Weight I Emballages et Poids I Verpackung und Gewicht I Embalajes y Pesos I Упаковка и Вес

Formato Size Format Format Tamaño Формат cm	Spessore Thickness Epaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs / M² Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M² / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids / Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M² / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Вес x Подд Kg
120x278 Naturale R10	6,5	0,30	1	3,336	50,04	vedi sotto - see below		
120x120 Naturale R10	6,5	0,69	2	2,880	43,20	20	57,60	864
60x120 Naturale R10	6,5	1,39	3	2,160	32,40	15	32,40	486
30x60 Listelli Sfalsati Naturale R10	6,5	5,56	6	1,080	16,20	30	32,40	486
120x120 Naturale R10	9,5	0,69	1	1,440	31,68	36	51,84	1140
60x120 Naturale R10 - Tecnica R11	9,5	1,39	2	1,440	31,68	36	51,84	1140
30x120 Naturale R10	9,5	2,78	3	1,080	23,76	48	51,84	1140
100x100 Naturale R10	9	1,00	2	2,000	40,00	24	48,00	960
90x90 Naturale R10	9,5	1,23	2	1,620	35,64	24	38,88	855
45x90 Naturale R10	9,5	2,47	3	1,215	26,73	32	38,88	855
60x60 Naturale R10	9,5	2,78	3	1,080	23,76	40	43,20	950
30x60 Naturale R10	9,5	5,56	6	1,080	23,76	48	51,84	1140
10x30 Naturale R10	9,5	33,33	25	0,750	16,50	72	54,00	1188
30x60 Listelli Sfalsati Naturale R10	9,5	5,56	4	0,720	15,80	30	21,60	474
30x30 Mosaico Naturale R10	9,5	11,11	5	0,450	8,73	60	27,00	524
60x120 20MM Naturale R11	20	1,39	1	0,720	33,12	36	25,92	1192
45x90 20MM Naturale R11	20	2,47	2	0,810	37,26	24	19,44	894
60x60 20MM Naturale R11	20	2,78	2	0,720	33,12	32	23,04	1060

Slabs 120x278

Articolo Item Reference Artikel Articulo Артикула	Dimensione (cm) Size (cm) Format (cm) Format (cm) Tamaño (cm) Формат (cm)	Nr. Lastre No. of Slabs Nbre Dalles Anz. Platten Nº de Placas Кол. Плит	Mq. x Imballo sqm per Pack m2 / Emballage qm pro Verpackung m2 por embalaje Кв.м. x упаковку	Peso Imballo (Kg) Weight of Packaging (kg) Poids Emballage (kg) Gewicht Verpackung (kg) Peso embalaje (kg) Вес упаковки (кг)	Peso Imballo+Lastre (Kg) Weight of Packaging + Slabs (kg) Poids Emballage+Dalles (kg) Gewicht Verpackung+Platten (kg) Peso embalaje + placas (kg) Вес упаковки + плит (кг)
Cassa - Crate - Caisse Kiste - Caja - Ящик	140x291x29h	5	16,68	107	357,20
	140x291x41h	18	60,05	147	1047,72
Cavalletto - A-Frame Chevalet de transport Transportgestell Caballete - Подставка	75x290x160h	40	133,44	180	2181,60

Slate Grey Naturale R10 Rett. 120x278 - 47 1/4"x109 7/16"
Slate Grey Naturale R10 Rett. 120x120 - 47 1/4"x47 1/4"

Slate Lighht Grey
Naturale R10 Rett. 120x278 - 47 1/4"x109 7/16"

CORNERSTONE EVOLUTION

Porcelain Tiles
ISO 13006 Annex G - UNI EN 14411 Annex G - Bla UGL
ANSI A137.1 - CLASS P1

Ceramics of Italy

CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniquesa - Technische Eigenschaften Technische Eigenschaften - Caracteristicas Tecnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Норма	VALORI Value - Valeur Vorgabe - Valor - Средние		
ASSORBIMENTO D'ACQUA Water absorption - Absorption d'eau - Wasseraufnahme Absorción de agua - Поглощение воды	UNI EN ISO 10545/3	Conforme		
	ASTM C373	Compliant		
RESISTENZA ALLA FLESSIONE Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexon - Прочность на изгиб	SPESSORE	**6,5 mm**	**9 /9,5 mm**	**20MM**
	UNI EN ISO 10545/4	≥ 35 N/mm²	≥ 45 N/mm²	≥ 45 N/mm²
FORZA DI ROTTURA Breaking strength - Résistance à la rupture - Bruchlast Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4	≥ 700 N	≥ 2000 N	≥ 12000 N
	ASTM C648	≥ 175 lbf	≥ 400 lbf	≥ 2500 lbf
RESISTENZA AL GELO Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12	Conforme		
	ASTM C1026	Unaffected		
RESISTENZA CHIMICA AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13	A - LA - HA		
	ASTM C-650	Unaffected		
RESISTENZA ALLE MACCHIE Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14	5		
	ASTM C1378	Class A		
COEFFICIENTE DI ATTRITO Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Коэффициент трения		**NATURALE**	**TECNICA / 20MM**	
	DIN EN 16165 Annex B	R10	R11	
	DIN EN 16165 Annex A	B (A+B)	C (A+B+C)	
	ANSI A326.3:2017 DCOF	WET ≥ 0,50	WET ≥ 0,65	
	B.C.R.A. D.M. N. 236 14/6/89	> 0,40	> 0,40	
	AS 4586-2013 Anexo A	P3	P4	
	BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers	> 36 Low Slip potential	> 36 Low Slip potential	
	UNE 41901:2017 EX DB SUA (actual)	2	3	

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue.- Pour toutes informations supplementaires sur les donnees techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ulteriores informaciones sobre los datos tecnicos y la garantia, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.

GREENGUARD GOLD — PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/GG UL 2818

mindful MATERIALS

120x278

放射性水平A类

25% 20MM
15% 9 / 9,5 mm
0% 6,5 mm
valori medi - average values

HEAVY COMMERCIAL HT

SHADE VARIATION V3 High

ERGON

A Brand of Emilceramica S.r.l. a socio unico

USGBC MEMBER

GREEN BUILDING COUNCIL SOCIO ITALIA

CONFINDUSTRIA PER LA SOSTENIBILITÀ

CERTIFIED MANAGEMENT SYSTEMS CQY CERTIQUALITY
UNI EN ISO 9001:2015
UNI EN ISO 14001:2015
UNI ISO 45001:2018
UNI CEI EN ISO 50001:2018

I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi.
Le misure dei prodotti qui indicate si intendono nominali e come i pesi ed i colori subiscono le variazioni tipiche del processo ceramico.
Ergon si riserva la facoltà di modificare in qualunque momento senza preavviso le caratteristiche tecniche, estetiche e i materiali presentati.
Tali caratteristiche non sono comunque vincolanti nei termini legali.

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.
Product sizes indicated are nominai and like weights and colours undergo the typical variations of the ceramic process.
Ergon reserves the right to change the technical and optical features of the materials illustrated at any time and without notice. These features are not legally binding.

Cornerstone Evolution 000C0P3H Rev. 03 - © Emilceramica Srl - Dicembre 2024

Ergon is a brand of Emilceramica S.r.l. a socio unico	Sede Commerciale/Amministrativa
emilgroup.it/ergon emilgroup.it	Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (Mo) Italy T +39 0536 835111 - info@emilceramicagroup.it