



Nr. 21

**VIVA**  
MADE

# Nr. 21

“The secret is to look at ordinary things  
with completely different eyes.”

June 21, 09 p.m  
Leaving the city  
for a long, free journey  
on my motorbyke





GREY P.79 NAT. RETT. 60x60 (23<sup>5/8</sup>"x23<sup>5/8</sup>")













WHITE P.329 NAT. RETT. 60x120 (23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")



SAND P.294 NAT. RETT. 60x60 (23<sup>5</sup>/<sub>8</sub>"x23<sup>5</sup>/<sub>8</sub>")









GREY P.79 NAT. RETT. 60x60 (23<sup>5/8</sup>"x23<sup>5/8</sup>")  
GREY P.79 NAT. RETT. 60x120 (23<sup>5/8</sup>"x47<sup>1/4</sup>")





WHITE P. 329





WHITE P.329NAT. RETT. 60x120 (23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")




SAND P.294 NAT. RETT. 60x120 (23<sup>5</sup>/<sub>8</sub>"x47<sup>1</sup>/<sub>4</sub>")









June 22, 07 a.m  
Home is back,  
dawn is in front of me.  
Finally I got  
a new sight.



# Nr. 21 Colori e Formati


Colours and Sizes | Couleurs et Formats | Farben und Formate | Colores y Tamaños | Цвета и Форматы



**Naturale Rett.**  
60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
E6TL White P. 329 U<sub>4</sub>P<sub>3</sub>E<sub>3</sub>C<sub>2</sub> ● 84

**Naturale Rett.**  
60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
E6TN Sand P. 294 U<sub>4</sub>P<sub>3</sub>E<sub>3</sub>C<sub>2</sub> ● 84


**Naturale Rett.**  
60x120 - 23<sup>5/8</sup>"x47<sup>1/4</sup>"  
E6TQ Grey P. 79 U<sub>4</sub>P<sub>3</sub>E<sub>3</sub>C<sub>2</sub> ● 84



**Naturale Rett.**  
60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>"  
EIK3 White P. 329 U<sub>4</sub>P<sub>4</sub>E<sub>3</sub>C<sub>2</sub> ● 76

**Naturale Rett.**  
60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>"  
EIK5 Sand P. 294 U<sub>4</sub>P<sub>4</sub>E<sub>3</sub>C<sub>2</sub> ● 76

**Naturale Rett.**  
60x60 - 23<sup>5/8</sup>"x23<sup>5/8</sup>"  
EIK7 Grey P. 79 U<sub>4</sub>P<sub>4</sub>E<sub>3</sub>C<sub>2</sub> ● 76



**Naturale Rett.**  
30x60 - 11<sup>3/16</sup>"x23<sup>5/8</sup>"  
EIM9 White P. 329 U<sub>4</sub>P<sub>4</sub>E<sub>3</sub>C<sub>2</sub> ● 76

**Naturale Rett.**  
30x60 - 11<sup>3/16</sup>"x23<sup>5/8</sup>"  
EIMA Sand P. 294 U<sub>4</sub>P<sub>4</sub>E<sub>3</sub>C<sub>2</sub> ● 76


**Naturale Rett.**  
30x60 - 11<sup>3/16</sup>"x23<sup>5/8</sup>"  
EIMC Grey P. 79 U<sub>4</sub>P<sub>4</sub>E<sub>3</sub>C<sub>2</sub> ● 76

Si consiglia la posa con fuga 2 mm  
Laying with a 2 mm-joint is recommended


# Nr. 21 Decori

Decors | Decors | Dekore | Decorados | Декоры

## MOSAICO 5X5\* - Tessera 4,8x4,8 - Chip 1<sup>7/8</sup>"x1<sup>7/8</sup>"



30x30 - 11<sup>3/16</sup>"x11<sup>3/16</sup>"  
EH5L White P. 329 Nat. ● 94




30x30 - 11<sup>3/16</sup>"x11<sup>3/16</sup>"  
EH5M Sand P. 294 Nat. ● 94



30x30 - 11<sup>3/16</sup>"x11<sup>3/16</sup>"  
EH5N Grey P. 79 Nat. ● 94

## MOSAICO COLORS\* - Tessera 3,1x3,1 - Chip 1<sup>1/4</sup>"x1<sup>1/4</sup>"



30x30 - 11<sup>3/16</sup>"x11<sup>3/16</sup>"  
EIM3 Grey-White Nat. ● 97










30x30 - 11<sup>3/16</sup>"x11<sup>3/16</sup>"  
EIM5 Grey-Sand Nat. ● 97

\* Su rete in fibra - On fibre mesh backing - Sur filet en fibre de verre - Auf Glasfasernetz - Sobre malla de fibra - На волоконной сетке

# Nr. 21 Pezzi Speciali

Trims | Pieces Speciales | Formteile | Piezas Especiales | Специальные Изделия

	Dimensione Size	 White P. 329	 Sand P. 294	 Grey P. 79	Fascia di prezzo Price band
 Battiscopa - Skirting	<b>Naturale Rett.</b> 7x60 - 2 <sup>3/4</sup> "x23 <sup>5/8</sup> " Pcs. Box. 14 - LM x Box 8,40	EIME	EIMF	EIMG	● 10
 Gradone - Step	<b>Naturale Rett.</b> 33x60x3,2x3,2 12 <sup>15/16</sup> "x23 <sup>5/8</sup> "x1 <sup>1/4</sup> "x1 <sup>1/4</sup> " Pcs. Box. 4 - LM x Box 2,40	E8MC	E8MD	E8ME	● 79A
 Angolare - Corner Tile	<b>Naturale Rett.</b> 33x33x3,2x3,2 12 <sup>15/16</sup> "x12 <sup>15/16</sup> "x1 <sup>1/4</sup> "x1 <sup>1/4</sup> " Pcs. Box. 2 - LM x Box 0,66	E8M7	E8M8	E8M9	● 78





Dry - Pressed Ceramic Tiles ISO 13006 Annex G - UNI EN 14411 Annex G - Bia UGL

CARATTERISTICHE TECNICHE Technical Features - Caracteristiques Techniques - Technische Eigenschaften Technische Eigenschaften - Características Técnicas - Технические Характеристики	NORMA Standard - Norme Norm - Norma - Norma	VALORI Value - Valeur Vorgabe - Valor - Средние
<b>ASSORBIMENTO D'ACQUA (VALORE MEDIO IN %)</b> Water absorption (Average value expressed in %) - Absorption d'eau (Valeur moyenne en %) Wasseraufnahme (Durchschnittswert in %) - Absorción de agua (Valor medio en %) Поглощение воды	UNI EN ISO 10545/3  ASTM C373	CONFORME  COMPLIANT
<b>RESISTENZA ALLA FLESSIONE</b> Modulus of rupture - Resistance a la flexion - Biegefestigkeit Resistencia a la flexion - Прочность на изгиб	SPESSORE UNI EN ISO 10545/4	<b>10 mm</b> ≥ 45 N/mm <sup>2</sup>
<b>FORZA DI ROTTURA</b> Breaking strength - Résistance à la rupture - Bruchlast Resistencia a la rotura - Разрывное усилие	UNI EN ISO 10545/4  ASTM C648	≥ 2000 N  400 Lbs
<b>RESISTENZA AL GELO</b> Frost resistance - Résistance au gel - Frostbeständigkeit Resistencia a las heladas - Морозостойкость	UNI EN ISO 10545/12  ASTM C1026	CONFORME  UNAFFECTED
<b>RESISTENZA CHIMICA</b> <b>AD ALTE E BASSE CONCENTRAZIONI DI ACIDI E BASI</b> Chemical resistance to high and low acid and basic concentrations Résistance chimique aux hautes et basses concentrations d'acides et de bases Chemikalienfestigkeit bei hohen und niedrigen Konzentrationen von Säuren und Basen Resistencia química con concentraciones altas y bajas de ácidos y bases Химическая стойкость к высоким и низким концентрациям кислот и щелочей	UNI EN ISO 10545/13  ASTM C-650	A - LA - HA  UNAFFECTED
<b>RESISTENZA ALLE MACCHIE</b> Stain resistance - Résistance aux taches - Fleckenbeständigkeit Resistencia a las manchas - Стойкость к образованию пятен	UNI EN ISO 10545/14	5
<b>COEFFICIENTE DI ATTRITO</b> Slip resistance Coefficient de glissement Rutschfestigkeit Barfußbereich Coeficiente de atrito medio Коэффициент трения	DIN 51130 DGUV Regel 108-003 DIN 51097 DGUV Information 207-006 ANSI A326.3:2017 DCOF B.C.R.A. D.M. N. 236 14/6/89 AS 4586-2013 Anexo A BS 7976-2: 2002 BSEN13036-4:2011 Pendulum testers UNE 41901:2017 EX DB SUA (actual)	R10 B (A+B) WET ≥ 0,50 ≥ 0,40 P2 < 36 Moderate Slip potential 2

Per maggiori chiarimenti sui dati tecnici e sulla garanzia consultare il catalogo generale in vigore. - For further information on technical specifications, please consult our up-dated general catalogue. - Pour toutes informations supplémentaires sur les données techniques et sur les garanties, veuillez consulter le catalogue general en vigueur. - Für weitere Informationen über technische Daten und Garantie beziehen sie sich bitte auf den aktuellen Gesamtkatalog. - Para ulteriores informaciones sobre los datos técnicos y la garantía, vease el catalogo general en vigor. - Более подробную информацию о технических данных и гарантии смотрите в действующем сводном катал.




PRODUCT CERTIFIED FOR LOW CHEMICAL EMISSIONS: UL.COM/CGG  
UL 2818



放射性水平A类



Min. 7,5%



Formato Size Format Format Tamaño Формат cm	Spessore Thickness Épaisseur Stärke Espesor Толщина mm	Pz. x Mq. Pieces x Sqm Pcs / M <sup>2</sup> Stk. x Qm Pzs x Mc. Шт x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт x Кор.	Mq. x Scat. Sqm x Box M <sup>2</sup> / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. Weight x Box Poids / Bte Gewicht x Krt. Peso x Caja Вес x Кор. Kg	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M <sup>2</sup> / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. Weight x Pal. Poids / Pal. Gewicht x Pal. Peso x Pal. Вес x Подд. Kg
60x120 Naturale	10	1,39	2	1,440	33,07	36	51,84	1190
60x60 Naturale	10	2,78	3	1,080	24,47	40	43,20	979
30x60 Naturale	10	5,56	6	1,080	24,14	40	43,20	966
30x30 Mosaico	10	11,11	5	0,450	10,90	60	27,00	654





<b>Viva is a brand of Emilceramica S.r.l. a socio unico</b>	<b>Sede Commerciale/ Amministrativa</b>
<a href="http://emilgroup.it/viva">emilgroup.it/viva</a> <a href="http://emilgroup.it">emilgroup.it</a>	Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (Mo) Italy T +39 0536 835111 - <a href="mailto:info@emilceramicagroup.it">info@emilceramicagroup.it</a>